

## Biodiversity Record: *Betta imbellis* and other air-breathing fishes at Chencharu woodland

Luqmanul Hakim Bin Othman & Chen Xuanhe\*

Email: [luqmanulhakimtwgs@gmail.com](mailto:luqmanulhakimtwgs@gmail.com), [xuanhezen@gmail.com](mailto:xuanhezen@gmail.com) (\*corresponding author)

**Recommended citation.** Luqmanul HBO & Chen X (2025). Biodiversity Record: *Betta imbellis* and other air-breathing fishes at Chencharu woodland. Nature in Singapore, 18: e2025035. DOI: 10.26107/NIS-2025-0035

**Subjects:** Crescent fighting fish, *Betta imbellis* (Teleostei: Anabantiformes: Osphronemidae);  
Croaking gourami, *Trichopsis vittata* (Teleostei: Anabantiformes: Osphronemidae);  
Asian climbing perch, *Anabas testudineus* (Teleostei: Anabantiformes: Anabantidae);  
Common snakehead, *Channa striata* (Teleostei: Anabantiformes: Channidae).

**Subjects identified by:** Luqmanul Hakim Bin Othman and Chen Xuanhe.

**Location, date and time:** Singapore Island, Lower Seletar Area, Chencharu woodland, Sungei Chik Abu (draining to Lower Seletar Reservoir); 4 August 2024; around 0715 hrs.

**Habitat:** Freshwater swamp in secondary woodland adjacent to an open-country stream (Sungei Chik Abu).

**Observers:** Luqmanul Hakim bin Othman and Chen Xuanhe.

**Observation:** A desiccated carcass of a *Betta imbellis*, about 5 cm in standard length (SL, measured from tip of snout to base of caudal fin), was found on the dry bank of the swamp (Fig. 1). Alongside this find were an *Anabas testudineus* of about 8 cm SL (Fig. 2), and a *Trichopsis vittata* of about 3 cm SL (Fig. 3). The latter two were netted alive from the water for ex-situ photography and released thereafter. A *Channa striata* of about 6 cm SL (Fig. 4) was observed on the substrate in shallow water.




Fig. 1. Lateral view of carcass of *Betta imbellis* (Photograph by: Luqmanul Hakim Bin Othman). Fig. 2. Lateral view of a live *Anabas testudineus* (Photograph by: Chen Xuanhe). Fig. 3. Lateral view of a live *Trichopsis vittata* (Photograph by: Chen Xuanhe). Fig. 4. Dorso-lateral view of a small *Channa striata*, in-situ (Photograph by: Chen Xuanhe).

**Remarks:** In Singapore, *Betta imbellis* is regarded as an endangered native fish (Low et al., 2024). Although rarely seen, it seems to be relatively widespread locally, both in forest and exposed areas. The species has been recorded at Eng Neo forest (AECOM, 2024), Kranji Marsh (Tan et al., 2016), Sime Road forest (Tan & Ng, 2005), Springleaf forest (Dansk Hydraulisk Institut, 2022), and Lorong Banir (Ng & Lim, 1997). The last two locations share the same drainage basin as the present location. A record from Bukit Batok Hillside Park (EnviroSolutions & Consulting Pte Ltd, 2020) has been re-identified as the non-native Siamese fighting fish, *Betta splendens* (Ramboll, 2025; JY Lin, personal communication).

The fighting fish, climbing perch, croaking gourami and snakehead are air-breathers that are well-adapted to the swamp's periodic fluctuations in water, temperature and oxygen levels. Unlike *Betta imbellis*, the latter three fish are common natives in Singapore freshwaters that are regarded as species of 'least concern' (Low et al., 2024).

#### **Literature cited:**

- AECOM (2024) Environmental Impact Assessment. Final Report for Redevelopment of the Former Turf Club at Bukit Timah. 238 pp. <https://www.ura.gov.sg/-/media/Corporate/Planning/EIA/EIA-for-Redevelopment-of-the-Former-Turf-Club-Report-without-Appendices-Part-1.pdf>
- Dansk Hydraulisk Institut (2022) Environmental Impact Assessment. Draft Report for Proposed Springleaf Precinct Master Plan. 276 pp. [https://www.ura.gov.sg/-/media/Corporate/Planning/EIA/EIA\\_Springleaf\\_2022-06-04.pdf](https://www.ura.gov.sg/-/media/Corporate/Planning/EIA/EIA_Springleaf_2022-06-04.pdf)
- EnviroSolutions & Consulting Pte Ltd (2020) Environmental Impact Study. Report for Bukit Batok Hillside Park Area. 233 pp. <https://www.hdb.gov.sg/-/media/doc/BIG/hdb-bb-eis-report.ashx>
- Low BW, Tan HH, Kwik JTB, Zeng Y & Yeo DCJ (2024) Checklist of freshwater fish species with their category of threat status for Singapore. In: Davison GWH, Gan JWM, Huang D, Huang WS, Lum SKY & Yeo DCJ (eds.) The Singapore Red Data Book. Red Lists of Singapore Biodiversity. Third edition. National Parks Board, Singapore, pp. 647–648.
- Ng PKL & Lim KKP (1997) The diversity and conservation status of fishes in the nature reserves of Singapore. Gardens' Bulletin Singapore, 49: 245–265.
- Ramboll (2025). Biodiversity and Environmental Studies for BBNP, BBTP and BBHNP. Volume I: Biodiversity and Environmental Impact Assessment Report. 268 pp. [https://www.nparks.gov.sg/docs/default-source/nature-docs/environmental-studies-sustainable-development/eia-report-bbnp-bbtp-bbhnp.pdf?sfvrsn=1b41587\\_1](https://www.nparks.gov.sg/docs/default-source/nature-docs/environmental-studies-sustainable-development/eia-report-bbnp-bbtp-bbhnp.pdf?sfvrsn=1b41587_1)
- Tan HH & Ng PKL (2005) The fighting fishes (Teleostei: Osphronemidae: genus *Betta*) of Singapore, Malaysia and Brunei. The Raffles Bulletin of Zoology, 13: 43–99.
- Tan HH, Yeo DCJ, Ng TH, Tan SK & Low BW (2016) Fishes, shrimps and aquatic snails observed at Kranji Marsh. Singapore Biodiversity Records, 2016: 186–190.